

SLR Starline Round



The new standard in trunking aesthetics




Increased Capacity

Round, but not bulky. More room for your cables without added depth.



Improved Aesthetics

Rounded corners and a stylish profile



Easy Install

Hinged lids to support cables during installation



Easy to adapt

Full compatibility with the established Starline® accessories like dividers, outlet boxes and housings.



starline®

SLR Product Range

Material	Mechan.	UV stabil.	Temp.
PVC-U	> 1250 N	p	-25°C/+60°C

SLR, skirting trunking with rounded corners; white (RAL 9010), available in 3m standard length

In accordance with: EN50085, BS4678 Part 4



art	dim.	ps	ref
SLR 50/170	50x170	3m	101 124

RAE, external angle; white (RAL 9010)



art	dim.	ps	ref
RAE 50/170	270x270x170x50	1	101 119

RE, stop end; white (RAL 9010)



art	dim.	ps	ref
RE 50/170	16x170x50	10	101 120

RFT, flat tee; white (RAL 9010)



art	dim.	ps	ref
RFT 50/170	480x325x170x50	1	101 121

RFW, flat angle; white (RAL 9010)



art	dim.	ps	ref
RFW 50/170	270x270x170x50	1	101 122

starline®

SLR Product Range

RIE, internal angle; white (RAL 9010)



art	dim.	ps	ref
RIE 50/170	270x270x170x50	1	101 123

RK, cover joint; white (RAL 9010)



art	dim.	ps	ref
RK 50/170	20x170x50	10	101 590

SLB1, single gang outlet box for switches and sockets; white(RAL9010)



art	dim.	ps	ref
SLB 1	80x85x28mm	20	036 075

SLB2, twin gang outlet box for switches and sockets white(RAL9010)



art	dim.	ps	ref
SLB 2	140x85x28mm	20	036 076